

# Equipco Fuel STORAGE SOLUTIONS



IRRIGATION  
MILITARY

TRANSPORT  
EARTHMOVING

GENERATOR  
AVIATION

INDUSTRY  
MINING

CONTRACTOR  
WASTE

TANKS  
DISPENSERS  
FLEET MANAGEMENT

 **EQUIPCO<sup>®</sup>**  
INNOVATIONS IN FUEL HANDLING  
[www.equipco.com.au](http://www.equipco.com.au)  
[sales@equipco.com.au](mailto:sales@equipco.com.au)

# Container Range



## Container Tanks Range

- Time proven design for compact fuel storage in any application.
- ISO footprint enables easy relocation if required.

CODE	DESCRIPTION	DIMENSION
ET12	12,000 Ltr ET range container tank	2991L X 2438W X 2896H mm
ET31	31,000 Ltr ET range container tank	6058L X 2438W X 2896H mm
ET69	69,000 Ltr ET range container tank	12192L X 2438W X 2896H mm
ET75	75,000 Ltr ET range container tank	12192L X 2438W X 2896H mm
ET85	85,000 Ltr ET range container tank	14630L X 2438W X 2896H mm
ET90	90,000 Ltr ET range container tank	14630L X 2438W X 2896H mm
CT24	25,000 Ltr CT range container tank	6058L X 2438W X 2591H mm
CT54	55,000 Ltr CT range container tank	12192L X 2438W X 2591H mm

## ET & CT New Generation Tanks Range

Our new generation tank range is a premium fuel storage solution designed for installation in a variety of applications with minimum site preparation. Constructed to AS1940, AS1692 and AS1657, the unique design enables visual inspection underneath tank, for servicing requirements whilst increasing tank safe-fill capacities. Sloping tank floor for easy collection of contaminants or condensation build-up. Multiple pump suction ports for submersible turbine pump applications, adaptable side ladder service entry, superior reinforced construction, are just some of the features of our new outstanding ET range tanks. Sizes available: 30,000, 67,000, 72,500, 82,000 and 88,000 Litres safe fill. These tanks will meet and exceed all your storage requirements for remote retail use, additional storage or tank farms.



# Self Bunded Tanks



## Self Bunded Fuel Tanks

- Mining Contractors
- Building Industry
- Earthmoving
- Transport
- Marine
- Government
- Agriculture
- Industry



CODE	DESCRIPTION	DIMENSION
<b>MG1000N</b>	1000 Ltr Mine-Go® self bunded tank	1480L X 1135W X 1250H mm
<b>MG2000N</b>	2000 Ltr Mine-Go® self bunded tank	2250L X 1420W X 1280H mm
<b>MG3000N</b>	3000 Ltr Mine-Go® self bunded tank	2250L X 1950W X 1250H mm
<b>MG5000N</b>	5000 Ltr Mine-Go® self bunded tank	2900L X 2250W X 1250H mm
<b>MG7500N</b>	7000 Ltr Mine-Go® self bunded tank	4405L X 2255W X 1280H mm

## Features

- Equipco Mine-Go self bunded (double wall) steel fuel tanks are built to Australian Standards AS1692 and AS1940.
- Genuine safe fill capacity as per specified size.
- Internal tank is baffled to reduce product movement during transport.
- Removable inner tank for ease of inspection and maintenance.
- Galvanised certified lifting points for lifting tank when full. 1000, 2000, 3000 and 5000 Ltr models only.
- Stackable design.
- Supplied painted in white as standard (custom colours available).
- Four way forklift pockets for easy access to all sides of tank.
- 600mm x 600mm Inspection hatch with lid.
- Large pump bay with hinged lockable door, gas strut, pump mounting bracket, suction spears and return lines.
- Fill point with spill pan and hinged lockable door.
- Hazchem signage. (please specify type of fuel)
- Suitable for transport/static storage of diesel fuel and lubricant oils (non-flammable).



CODE	DESCRIPTION	DIMENSIONS
<b>MG200N</b>	200 Litre Mine-Go™ Ute Tank	1290L X 1035W X 640H mm
<b>MG400N</b>	400 Litre Mine-Go™ Ute/Truck Tank	1290L X 1035W X 903H mm
<b>MG600N</b>	600 Litre Mine-Go™ Ute/Truck Tank	1599L X 1035W X 903H mm
<b>TTBT46-KT</b>	12 Volt Pump Kit 40 LPM	
<b>TTBP80-KT</b>	12 Volt Pump Kit 80 LPM	

## Features

- Compliance with Australian Standards- AS1692-2006, AS1940-2004
- Pump or genset feed
- Forklift pockets
- Petrol storage for onground use only
- Filtration & fuel metering options
- Certified approved lift lugs

200, 400 & 600 Litre "built tough" Mine-Go® range self bunded tanks meet the relentless demands of the mining industry. These tanks are packed with unique features to enable even mounting of hose reels on rear of compartment if required. Sizes to suit all utes-trays or tray trucks. Fully compliant to Australian standards- AS1692-2006 and AS1940-2004. The all new Mine-Go range of self bunded tanks are an industry first

using the latest design features normally only found in our larger sizes.

The huge cavernous pump compartment allows fitting of high flow pumping equipment including filtration and metering with room to spare for tools and oil. All totally lockable with dual forklift pockets, this new range will truly turn heads when mounted on your Ute. Also available to colour match to your vehicle if required.



# Aviation Range



## Premium Pump Cabinet

- Grade 304 stainless steel inner tank with bolted manway access
- Heavy duty mild steel outer bund. 110% tank capacity
- Strong steel base with integral forklift pockets: 40mm fall to sump low point
- 2 point lifting eyes suitable for lifting and

moving empty tank

- Fill point & pump cabinet with anodised aluminium roller shutter door or heavy hinging steel door
- Fill point – 2" stainless steel with overflow prevention valve, isolator valve & 2" BSP alloy cap
- Suction line dip tube for fuel delivery – 1½" grade 304 stainless
- Rotary magnetic drive tank contents gauge
- 1" stainless steel sump draw line, with sump

pump in cabinet for fuel sampling

- Sample draw off point, inspection glass
- Shot blasted to SA 2.5 and painted in 2-pack polyurethane finish (standard colour White)

## Optional:

- Floating suction arm
- Atex approved cabinet lighting
- Flood lights and brackets



Size available 2000 -50,000 Litres  
All stainless steel inner tank

# On Ground Tanks

## Specifications:

- Heavy duty industrial steel on ground tank
- Complete with liquid seal, cradle mounts and 2 coat paint finish
- For use with diesel, unleaded petrol and oil
- Fully compliant, tank built to AS1692-2006
- Sizes from 500lt to 10000lt
- Optional calibrated dipstick
- Optional overfill valve
- Optional overfill alarm
- Optional oil pan fill tray with mesh screen and lid for bucket filling of waste oil
- Optional skid mounts
- Optional Baffle



# Service Truck Range

## Options

- Multiple compartments
- Pump options
- Hose Reels
- Sight gauges
- Skid base
- Forklift slippers
- Lifting lugs for lifting tank when full
- Metered nozzles
- Level monitoring system
- Tank baffles

Sizes: 100 - 2000 Litres





# Tuff Tank™ Range

## Steel Ute Tank

- Stackable Design
- Lockable door latch
- Gas strut for easy opening
- Tie down points
- Enormous pump/
- Tool box compartment
- Drain point
- Signage for diesel
- Removable mounting feet galvanized for additional height clearance

CODE	DESCRIPTION	DIMENSION
TT200-12	200 Ltr TuffTank™ with 12 Volt 40 LPM pump kit only. Weight: 145 Kg approx.	925W x 1100L x 480H mm
TT400-12	400 Ltr TuffTank™ with 12 Volt 40 LPM pump kit only. Weight: 190 Kg approx.	925W x 1100L x 748H mm
TT600-12	600 Ltr TuffTank™ with 12 Volt 40 LPM pump kit only. Weight: 220 Kg approx.	925W x 1420L x 748H mm

## Can you afford to settle for less?

Due to renewed insistence on compliance to Australian Standards when refuelling at service stations, Equipco have created the TuffTank™ range. For Diesel Use.

Made from 3mm Plate Steel.

Sizes: 200, 400, 600 Litre Safe Fill.

Packed with unique features to make refuelling easy. Fully lockable pump compartment with huge space for storage. Internal baffle on 400 and 600 Litre models for increased stability. All metal construction for durability and long life.

Built to AS1692-2006.



High flow pump, Flow Meter and Filter Options not in standard kit.

# Poly Diesel Ute Tanks



CODE	DESCRIPTION
ULT100AX	100 Ltr Ultimate deluxe diesel tank kit. Dimensions: 710L x 800W x 475H mm.
ULT200AX	200 Ltr Ultimate deluxe diesel tank kit. Dimensions: 1180L x 800W x 475H mm.
ULT400SAX	400 Ltr Ultimate deluxe compact diesel tank kit. Dimensions: 1180L x 800W x 795H mm.
ULT400LAX	400 Ltr Ultimate low line deluxe diesel tank kit. Dimensions: 1650L x 800W x 600H mm.
ULT600AX	600 Ltr Ultimate deluxe diesel tank kit. Dimensions: 1650L x 800W x 845H mm.

Upgrade Options Available with pumps and flow meters

New quality 50 LPM Italian made Piusi pump standard in all Ultimate Ute Tank Kits.

\* Flow rate will reduce with hose, nozzle or outlet height of fill neck.

# Fleet Management

## Supplying businesses with effective fuel management systems and solutions

The Sapphire range of terminals is used in bus and transport depots and utilises both card and touchless key technology.

There is a Sapphire terminal to suit all requirements and budgets. No matter what size your business we have a solution to suit your needs.

The Sapphire terminal can be linked to your tank gauge to show complete stock and Transaction activity on the same screen.

The Sapphire terminal can also work in

conjunction with the MCS VIB Datalink in cab device range to guarantee kilometre/mileage information for fuel management reporting.

- Online real time technology
- Compatible with all major fuel cards
- Access via magnetic stripe cards, keys, fobs, contactless or wireless devices
- Landline Broadband, 3G or Wireless connections available
- Real-time online management of the terminal and all data via a secure website (TSM)
- Compatible with all major pump suppliers



## Fleet Use System Terminal

The fleet system terminal offer companies or transport organisations an economical and low maintenance solution for managing fuel dispensing operations using magnetic cards or tags for driver assigned or vehicle. With ability to manage up to 1500 user cards/tags, it provides automated site management information using direct connection, wireless or GSM capabilities for global management



## Self Service Management Software 2.0 Ultimate - 12 Dispensers - 1000 Drivers

Self Service Software 2.0 is available in a wide range of versions developed for your needs.

From smaller systems up to the biggest, the software is optimised to give you the perfect answer when you are looking for high performance and maximum usability. Software is easily expandable by upgrading to a higher version of SSM 2.0 as your business expands.

### ULTIMATE VERSION features:

- 1000 Drivers
- 1000 Vehicles
- 12 Dispensers
- 12 OCIO Tank Gauge Supported
- Easy to read Dashboard
- Automatic Update
- Mobile Phone App Management



# Adblue Forecourt Tanks

Made in Australia  
**SUPERIOR FEATURES**  
Sold to the world

Removable roof for servicing.



Rigid internal heavy duty tanks moulded from AdBlue compatible Hexathene 7032.

Fully insulated 75mm walls and roof for optimum temperature control.



Forklift channels

Superior strength galvanized steel chassis

Fully banded & sealed internally.

**Size: 5000 - 20,000 Litres**



Solid PA door with internal/external door handles.

Stainless steel pipe work inside tank specialised crimped fittings.



OCIO digital level gauge inside pump bay -- Shows percentage only



Camlock or dry break coupling inside pump bay

**Serious retail storage solutions that are big on capacity and small on footprint provision for most Remote Management System Integration with all dispensing requirements.**

Heavy duty construction base for easy movement with forklift. Compact slimline style with durable Insulated exterior skin for a clean professional image in any environment!

Includes stainless steel fill pipe assembly with Camlock connection as standard

Options include. Electrical Terminal Box, various versions of level gauges for remote monitoring of tank levels with email daily level prompts if required.

Commercial or retail dispensing equipment either in tank mounted or as a remote installed bowser. All retail systems utilise a submersible pump within the tank for requirements of NMI regulations.

Optional hose dispenser reels are also available to complement the system if required.

Custom size tanks are also available to suit specific fitting on site. Please inquire.



## AdBlue®/DEF STORAGE TANKS

Banded BlueQUE™ Station Optimised Fleet Solutions for bulk ADBLUE® storage and dispensing to SCR equipped vehicles.

Protecting your ADBLUE® from temperature damage.

Preventing contamination in handling and storage.

Simplifying dispensing operation.

1500 - 10,000 Litre Models



**EQUIPCO**  
INNOVATIONS IN FUEL HANDLING

[www.equipco.com.au](http://www.equipco.com.au)

[sales@equipco.com.au](mailto:sales@equipco.com.au)

**1800 813 182**